

# SAFETY DATA SHEET

## Section 1. Identification

CHS Inc. Transportation Emergency (CHEMTREC) : 1-800-424-9300

P.O. Box 64089 Technical Information 1-651-355-8443

Mail station 525 St. Paul, MN 55164-0089 SDS Information : 1-651-355-8445

Product name : STODDARD SOLVENT SDS no. : 0141-J5X0

Common name: Not available.Revision date: 11/15/2013

Chemical name : Petroleum Distillate Chemical formula : Mixture

**Chemical family**: Mixture of Paraffinic, Olefinic, Naphthenic, and Aromatic

Hydrocarbon

Relevant identified uses of the substance or mixture and uses advised against

Not available.

#### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

: FLAMMABLE LIQUIDS - Category 3 ASPIRATION HAZARD - Category 1

**GHS label elements** 

Hazard pictograms





Signal word : Danger

**Hazard statements** : Flammable liquid and vapor.

May be fatal if swallowed and enters airways.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Hazardous Material Information System (U.S.A.) Health: 2 \* Flammability: 2 Physical hazards: 0 National Fire Protection Association (U.S.A.) Health: 2 Flammability: 2 Instability: 0

## Section 3. Composition/information on ingredients

Substance/mixture : Substance

Chemical name : Petroleum Distillate

Other means of identification : Not available.

Ingredient name	%	CAS number
Stoddard solvent	60 - 100	8052-41-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact : If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15

minutes, occasionally lifting the lower and upper lids. Get medical attention.

Inhalation If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has

stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as

possible.

If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the Skin contact

material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If

irritation persists after washing, get medical attention immediately.

If material has been swallowed, do not induce vomiting. Get medical attention immediately. Ingestion

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion May be fatal if swallowed and enters airways.

## Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain or irritation, watering, redness. Inhalation Adverse symptoms may include the following: respiratory tract irritation, coughing.

Skin contact : Adverse symptoms may include the following: irritation, redness.

Ingestion : No known significant effects or critical hazards.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested

or inhaled.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the

person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

# **Extinguishing media**

Suitable extinguishing media

Unsuitable extinguishing media Specific hazards arising from the chemical : Use dry chemical, CO2, water spray (fog) or foam.

Do not use water jet or water-based fire extinguishers.

Vapors are heavier than air and may travel along the ground to a source of ignition (pilot light, heater, electric motor) some distance away. Containers, drums (even empty) can explode when

heat (welding, cutting, etc.) is applied.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Special protective actions for fire-fighters

Water may be ineffective on flames, but should be used to keep fire-exposed containers cool. Water or foam sprayed into container of hot burning product could cause frothing and endanger fire fighters. Large fires, such as tank fires, should be fought with caution. If possible, pump the contents from the tank and keep adjoining structures cool with water. Avoid spreading burning liquid with water used for cooling purposes. Do not flush down public sewers. Avoid inhalation of

vapors. Firefighters should wear self-contained breathing apparatus.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

# Section 7. Handling and storage

#### Precautions for safe handling

#### Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

# Advice on general occupational hygiene

 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

# Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

## Occupational exposure limits

Ingredient name	Exposure limits	
Stoddard solvent	ACGIH TLV (United States, 3/2012).	
	TWA: 525 mg/m³ 8 hours.	
	TWA: 100 ppm 8 hours.	
	NIOSH REL (United States, 6/2009).	
	CEIL: 1800 mg/m³ 15 minutes.	
	TWA: 350 mg/m <sup>3</sup> 10 hours.	
	OSHA PEL (United States, 6/2010).	
	TWA: 2900 mg/m <sup>3</sup> 8 hours.	
	TWA: 500 ppm 8 hours.	

Appropriate engineering controls

: Use only with adequate ventilation.

**Environmental exposure controls** 

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Skin protection Hand protection

**Body protection** 

: 4 - 8 hours (breakthrough time): Nitrile gloves.: Recommended: Long sleeved coveralls.

Recommended: Impervious boots.

Other skin protection Respiratory protection

: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate

# Section 9. Physical and chemical properties

Recommended: Splash goggles and a face shield, where splash hazard exists.

Appearance		Relative density	: 0.8
Physical state	: Liquid.	Evaporation rate	: >1 (Butyl acetate = 1)
Color	: Clear.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild hydrocarbon.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: Not available.
Boiling point	: 157.22 to 196.11°C (315 to 385°F)	Decomposition temperature	: Not available.
Flash point	: Closed cup: >37.77°C (>100°F) [Pensky- Martens.]	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Lower: 0.7%	Vapor pressure	: 0.27 to 0.4 kPa (2 to 3 mm Hg) (68°F)
explosive (flammable) limits	Upper: 6%	Vapor density	: >1 [Air = 1]

# Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or

expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

#### **Acute toxicity**

There is no data available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Stoddard solvent	Eyes - Moderate irritant Eyes - Mild irritant	Rabbit Human	-	24 hours 500 mg 100 ppm	-

#### Sensitization

Skin: There is no data available.Respiratory: There is no data available.

#### **Mutagenicity**

There is no data available.

#### Carcinogenicity

There is no data available.

#### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### **Aspiration hazard**

Name	Result	
Stoddard solvent	ASPIRATION HAZARD - Category 1	

# Information on the likely routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

# Section 12. Ecological information

## **Toxicity**

There is no data available.

# Persistence and degradability

There is no data available.

# Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Stoddard solvent	3.16 to 7.06	-	high

## Mobility in soil

Soil/water partition coefficient (Koc) : There is no data available.

Other adverse effects : No known significant effects or critical hazards.

#### Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

**DOT IDENTIFICATION NUMBER** UN1268

DOT proper shipping name

PETROLEUM DISTILLATES, N.O.S. (Stoddard solvent)

DOT Hazard Class(es) 3

PG

**DOT EMER. RESPONSE GUIDE NO. 128** 

## Section 15. Regulatory information

U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption: All components are listed or exempted. United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 602 Class I Substances Clean Air Act Section 602 Class II Substances : Not listed : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed **DEA List II Chemicals (Essential Chemicals)** : Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

: Not listed

#### SARA 302/304

### Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : Fire hazard

#### Composition/information on ingredients

No products were found.

**SARA 313** 

This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Not applicable.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## State regulations

Massachusetts : The following components are listed: Stoddard solvent

**New York** None of the components are listed.

**New Jersey** The following components are listed: Stoddard solvent Pennsylvania The following components are listed: Stoddard solvent

California Prop. 65 No products were found.

# Section 16. Other information

Revision date : 11/15/2013 Supersedes : 04/17/2005

: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16. Revised Section(s) Prepared by : KMK Regulatory Services Inc.

Notice to reader

NOTICE TO FEASE.

THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910,1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



